

From: [Walters, Donn](#)
To: [Walters, Donn](#)
Subject: FW: Arkwood CIP Update
Date: Friday, June 20, 2014 2:01:00 PM
Attachments: [Arkwood Revised Draft CIP incorporating ADEQ comments for EPA review.docx](#)

From: Ray, Lauren
Sent: Thursday, April 24, 2014 3:08 PM
To: Walters, Donn
Cc: Shultz, Kim
Subject: RE: Arkwood CIP Update

Donn:

For your review, attached is a revised draft Community Involvement Plan for Arkwood, Inc. We have incorporated ADEQ's comments to the 1992 Community Relations Plan. Several of ADEQ's comments were questions directed to EPA. These questions included whether there should be additional mailings, public meetings, and/or open houses to address the dioxin reassessment; whether the repositories have been audited and updated recently; and whether a website should be established.

I summarized ADEQ's questions in margin comments in the attached document. ADEQ's questions are in addition to Toeroek's margin comments from the prior draft. The rest of ADEQ's comments have addressed and incorporated into the revised document.

Please let me know if you have any questions about the attached document. Thank you.

Lauren Ray
Toeroek Associates, Inc.
(214) 665-2756
ray.lauren@epa.gov
EPA Region 6 EFMC Support

From: Walters, Donn
Sent: Monday, April 14, 2014 3:22 PM
To: Ray, Lauren
Cc: Shultz, Kim
Subject: RE: Arkwood CIP Update

Yes, thanks. I mean the current...most recent update Rev. draft.

From: Ray, Lauren
Sent: Monday, April 14, 2014 10:09 AM
To: Walters, Donn
Cc: Shultz, Kim
Subject: RE: Arkwood CIP Update



9645763

Donn:

Thank you for forwarding ADEQ's comments and questions to the 1992 Arkwood CIP.

Toeroek will incorporate ADEQ's comments and questions into the draft 2014 Arkwood CIP, and send you a revised version of that document. I looked through ADEQ's comments, and many of them are questions directed to EPA, such as, whether community meetings, open houses, and mailings are needed due to the dioxin reassessment. We will include ADEQ's questions directed to EPA in the margin comments of the revised draft CIP, and we will update the text of the document, addressing ADEQ's comments.

I'm confused about your request to incorporate comments to the original, and draft revision. By original, are you referring to the 1992 CIP that ADEQ made comments to, or to the 2014 draft revised CIP? That 1992 document was prepared by another contractor, PRC, and is in a read-only, pdf format. It does not follow the current EPA CIP template, and has outdated contact information. I assume you want us to focus on the 2014 revised draft CIP.

Lauren Ray
Toeroek Associates, Inc.
(214) 665-2756
ray.lauren@epa.gov
EPA Region 6 EFMC Support

From: Walters, Donn
Sent: Friday, April 11, 2014 12:24 PM
To: Shultz, Kim; Ray, Lauren
Subject: FW: Arkwood CIP Update

I tried to send this file through Adobe connect but it's too big. So, the next step on the Draft is to incorporate DEQ's comments above to the original, and your Draft Revision. Try to follow their *Edits* to the text as much as you can. Thanks.

From: Tzhone, Stephen
Sent: Thursday, April 10, 2014 8:58 PM
To: Walters, Donn; Campbell, Joy
Cc: Sanchez, Carlos; Meyer, John
Subject: FW: Arkwood CIP Update

Hi Donn,

Attached are the ADEQ comments and recommendations for the Arkwood CIP update.

We can also have a call between ADEQ, EPA, and the CIP support contractors, if there are any followup questions.

Thanks,

Stephen L. Tzhone
Superfund Remedial Project Manager
214.665.8409
tzhone.stephen@epa.gov

From: Moix, Mark [<mailto:MOIX@adeq.state.ar.us>]
Sent: Thursday, April 10, 2014 11:10 AM
To: Tzhone, Stephen
Subject: Arkwood CIP Update

Hello Stephen,

Attached are a few comments/questions from the project team for the old community plan.

These comments were not routed through division management; this is just some information the EPA site community involvement section can decide to use or not use.

When the draft CIP document is ready for review, we will route it through the division for review and concurrence.

Thanks,

Mark Moix, Engineer
Project Coordinator
ADEQ Hazardous Waste Division
moix@adeq.state.ar.us
phone (501)682-0852